




## Certificate of Analysis (CoA)

|                          |                                    |
|--------------------------|------------------------------------|
| <b>Product:</b>          | CJC1295 no DAC                     |
| <b>Quantity:</b>         | 5 mg                               |
| <b>Batch/Lot No.:</b>    | CJ05-01-807-p482                   |
| <b>Date of Analysis:</b> | 19 August 2025                     |
| <b>Instrument:</b>       | Agilent 1260 HPLC and Thermo (MK3) |



### Quality Control

| Test Parameter                         | Method            | Specification                         | Result                                           |
|----------------------------------------|-------------------|---------------------------------------|--------------------------------------------------|
| <b>Identification (Retention Time)</b> | Visual inspection | White to off-white lyophilized powder | White to off-white lyophilized powder (conforms) |
| <b>Identification (Retention Time)</b> | HPLC              | $\pm 0.2$ min of Standard             | Conforms                                         |
| <b>Purity (by HPLC, % area)</b>        | HPLC              | $\geq 99.0\%$                         | 99.64%                                           |
| <b>Net Peptide Quantity</b>            | HPLC              | 5 mg                                  | 5.25 mg                                          |
| <b>Endotoxin</b>                       | LAL               | $\leq 0.5$ EU/mg                      | Conforms                                         |

Authorized by:   
Matt C.  
Head of Quality Control